

Kanlux



Kanlux GIVRO

- Power cord of GIVRO PR SET, available in Kanlux offer, is needed for proper operation.



 210 DC	 SMD	 No Hg	 House	 SMD	 ≥17500	 15000 ^[h]
 0,1m	 -10÷35 ^[°C]	 360° Φ _{use}	 CE	 EAC	 UK CA	



GIVRO LED 10M-WW

**IP**

GIVRO LED 10M-WW	38570	1m = 2	1m = 110	Warm white	65	10000	G
GIVRO LED 10M-CW	38571	1m = 2	1m = 120	cold white	65	10000	G
GIVRO LED 15M-WW	38572	1m = 2	1m = 110	Warm white	65	15000	G
GIVRO LED 15M-NW	38575	1m = 2	1m = 120	white	65	15000	G
GIVRO LED 15M-CW	38578	1m = 2	1m = 120	cold white	65	15000	G
GIVRO LED 15M-RE	38581	1m = 2	1m = 6	red	65	15000	
GIVRO LED 15M-GR	38584	1m = 2	1m = 29	green	65	15000	
GIVRO LED 15M-BL	38587	1m = 2	1m = 9,5	blue	65	15000	
GIVRO LED 30M-WW	38573	1m = 2	1m = 110	Warm white	65	30000	G
GIVRO LED 30M-NW	38576	1m = 2	1m = 120	white	65	30000	G
GIVRO LED 30M-CW	38579	1m = 2	1m = 120	cold white	65	30000	G
GIVRO LED 30M-RE	38582	1m = 2	1m = 6	red	65	30000	
GIVRO LED 30M-GR	38585	1m = 2	1m = 29	green	65	30000	
GIVRO LED 30M-BL	38588	1m = 2	1m = 9,5	blue	65	30000	
GIVRO LED 50M-WW	38574	1m = 2	1m = 110	Warm white	65	50000	G
GIVRO LED 50M-NW	38577	1m = 2	1m = 120	white	65	50000	G
GIVRO LED 50M-CW	38580	1m = 2	1m = 120	cold white	65	50000	G
GIVRO LED 50M-RE	38583	1m = 2	1m = 6	red	65	50000	
GIVRO LED 50M-GR	38586	1m = 2	1m = 29	green	65	50000	
GIVRO LED 50M-BL	38589	1m = 2	1m = 9,5	blue	65	50000	




GIVRO LED 10M-WW



GIVRO LED 10M-CW



GIVRO LED 15M-WW



GIVRO LED 15M-NW




GIVRO LED 15M-CW



GIVRO LED 15M-RE



GIVRO LED 15M-GR



GIVRO LED 15M-BL




GIVRO LED 30M-WW



GIVRO LED 30M-NW



GIVRO LED 30M-RE



GIVRO LED 30M-GR



GIVRO LED 30M-BL



GIVRO LED 50M-WW



GIVRO LED 50M-NW



GIVRO LED 50M-CW




GIVRO LED 50M-RE




GIVRO LED 50M-GR




GIVRO LED 50M-BL




GIVRO LED 10M



GIVRO LED 15M



GIVRO LED 30M



GIVRO LED 50M

Accessories

38590 GIVRO - PR SET Przewód przyłączeniowy do węży świetlnych GIVRO LED, GIVRO - PR SET (38590).



38593 GIVRO-PR SET W/O PLUG Przewód przyłączeniowy bez wtyczki, do węży świetlnych GIVRO LED, GIVRO-PR SET W/O PLUG (38593).



38592 GIVRO - HOLDER Uchwyt do węży świetlnych GIVRO LED, GIVRO - HOLDER (38592).



38591 GIVRO - END CAP Zaślepka do węży świetlnych GIVRO LED, GIVRO - END CAP (38591).



Date of issue: 28.10.2024, 10:00

We reserve the right to make technical changes. The data contained in this material are not legally binding.
Photometry: the results obtained from testing were from a specific sample.

EN